




INTRODUCING THE PR-3AT

Our rotary barrel innovation continues with the PR-3AT—bringing the proven delayed blowback system from the KelTec PR-5.7 to an affordable .380 ACP platform. The PR-3AT combines the mechanical sophistication of KelTec’s rotary barrel design with the practical simplicity that made the original P-3AT one of the most trusted pocket pistols in America. Compact, reliable, and engineered for everyday carry, the PR-3AT represents 35 years of design evolution distilled into a firearm that honors the KelTec legacy while pushing the boundaries of what a .380 can be. This is pocket pistol performance reimagined.

PR-3AT // pg28

- 28-29 // Pistol Specs
- 30-37 // Rifle Specs
- 38-41 // Shotgun Specs
- 42 // Airsoft
- 43 // Defenders





KS7 GEN2 // pg40



KS7 // pg40





SUB2000 // pg43



SUB2000 // pg43



RDB Defender // pg31

KSG Defender // pg43

KSG Compact // pg41





RDB 17 // pg30




RDB 17 // pg30



SUB COB // pg35

SUBCO // pg61

KS7 // pg50



SUB COB // pg35



P17 // pg28



P17 // pg28



P17 // pg28

KelTec PR-5.7 // pg28



KelTec PR-5.7 // pg28





KSG // pg41



KSG // pg41



PR-3AT // pg28



P32 // pg28





INTRODUCING

PR-3AT



CALIBER: 380 ACP
WEIGHT UNLOADED: 9.1 oz / 258 g
MAGAZINE CAPACITY: 10+1 / 13+1
OVERALL LENGTH: 5.58 in / 141.8 mm
BARREL LENGTH: 2.85 in / 72.5 mm
WIDTH: .944 in / 24.0 mm
HEIGHT: 4.38 in / 111.4 mm
TRIGGER PULL: 4.5 lbs / 20 N

**KELTEC
PR-5.7**



CALIBER: 5.7x28 mm
WEIGHT UNLOADED: 14 oz / 397 g
MAGAZINE CAPACITY: 20+1
OVERALL LENGTH: 7.16 in / 182 mm
BARREL LENGTH: 4.64 in / 118 mm
WIDTH: .937 in / 23.8 mm
HEIGHT: 4.95 in / 125.5 mm
TWIST: 1:7 in / 1:177 mm
TRIGGER PULL: 4.5 lbs / 20 N

P15



CALIBER: 9x19 mm Luger
WEIGHT UNLOADED: 16.3 oz / 461 g
 METAL: 18.5 oz / 524 g
MAGAZINE CAPACITY: 15+1
OVERALL LENGTH: 5.5 in / 168 mm
BARREL LENGTH: 4 in / 101.5 mm
HEIGHT: 5 in / 127 mm
SLIDE WIDTH: 0.875 in / 22 mm
TRIGGER PULL: 5 lbs / 23 N
COLORS: Black Ploymer & Metal



P17



CALIBER: .22 LR
WEIGHT UNLOADED: 0.7 lbs / 306 g
MAGAZINE CAPACITY: 16
OVERALL LENGTH: 6.7 in / 169 mm
BARREL LENGTH: 3.8 in / 100 mm
BARREL THREADS: 1/2+28 TPI
HEIGHT: 5.3 in / 135 mm
WIDTH: 1.2 in / 30 mm
TRIGGER PULL: 3 lbs / 13 N

P32



CALIBER: .32 ACP / 7.65x17 mm
WEIGHT UNLOADED: 7.0 oz / 198 g
MAGAZINE CAPACITY: 7
OVERALL LENGTH: 5.1 in / 129 mm
BARREL LENGTH: 2.7 in / 68 mm
HEIGHT: 3.5 in / 89 mm
WIDTH: 0.75 in / 19 mm
TRIGGER PULL: 5 lbs / 23 N

PMR30



CALIBER: .22 WMR
WEIGHT UNLOADED: 14 oz / 397 g
MAGAZINE CAPACITY: 30*
OVERALL LENGTH: 7.9 in / 201 mm
BARREL LENGTH: 4.3 in / 109 mm
HEIGHT: 5.8 in / 147 mm
WIDTH: 1.3 in / 33 mm
TRIGGER PULL: 3-5 lbs / 33 N

*10 round magazine variants are available for export

PLR16



CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 3.4 lbs / 155 kg
MAGAZINE CAPACITY: 10 or more
 (AR15 compatible)
OVERALL LENGTH: 18.5 in / 470 mm
BARREL LENGTH: 9.2 in / 234 mm
TRIGGER PULL: 6.5 lbs / 29 N

RDB™ FAMILY OF RIFLES

This litter of bullpups was bred for diversity. All of them are chambered for the common 5.56 NATO cartridge and come standard with the same adjustable gas system, but each one has some unique design features of their own. These are not bullpups of the past; the RDB series of rifles takes you into the future of this formidable design.

RDB17™



CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 7 lbs / 3.2 kg
MAGAZINE CAPACITY: 20+ (AR-15 compatible)
OVERALL LENGTH: 27.3 in / 693 mm
BARREL LENGTH: 17.3 in / 439 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 4.5-5.5 lbs / 20-25 N

RDB20™



CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 7.2 lbs / 3.3 kg
MAGAZINE CAPACITY: 20+ (AR-15 compatible)
OVERALL LENGTH: 30.6 in / 777 mm
BARREL LENGTH: 20.5 in / 521 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 4.5-5.5 lbs / 20-25 N

RDB™ DEFENDER



CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 6.7 lbs / 3 kg
MAGAZINE CAPACITY: 20+ (AR-15 compatible)
OVERALL LENGTH: 27 in / 686 mm
BARREL LENGTH: 16.1 in / 409 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 4.5-5.5 lbs / 20-25 N

RDB HUNTER™



CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 6.9 lbs / 3.1 kg
MAGAZINE CAPACITY: 10 (AR-15 compatible magazine)
OVERALL LENGTH: 30.4 in / 771.5 mm
BARREL LENGTH: 20.5 in / 520.7 mm
TWIST RATE: 1:7 in / 1:177 mm
TRIGGER PULL: 4-6 lbs / 18-27 N

RDB SURVIVAL™



CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 5 lbs 14 oz / 2.67 kg
MAGAZINE CAPACITY: 20 or any AR-15 magazine
OVERALL LENGTH: 26.1 in / 662.94 mm
BARREL LENGTH: 16.1 in / 409 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 4-6 lbs / 18-27 N



YOUR FAVORITE PISTOL MAGAZINES. NOW IN CARBINE FORM.



The SUB2000 folds in half for transport. Accepts pistol magazines. Reliable, accurate, and practical. It's the truck gun, range gun, and home defense carbine that does everything you need and nothing you don't. The GEN3 brought refined ergonomics with a patent-pending rotating forend, aluminum trigger, and ambidextrous controls. In 2025, KelTec introduced the Multi Mag system - expanding compatibility beyond Glock to include Beretta 92, CZ 75, Smith & Wesson M&P and Model 59, Sig Sauer P226 and P320, and Canik TP magazines.



1999 The SUB-9, KelTec's first fold-in-half pistol-caliber carbine, is born. With parts made of aircraft grade aluminum, it was revered for sharing popular handgun mags and compact storage.

2002 The SUB2000 era begins. True to the design of its SUB 9 father, but made with durable, high strength polymer, this pistol-caliber, fold-in-half carbine was lighter, easier to handle, and more affordable.



2015 The GEN2 of the SUB2000 introduced a new look to this compact folder. With an increased variety of magazines, intuitive sights, adjustable stock and improved M-LOK® handguard, it's ideal for backpacking trips and space-challenged situations.

2023 - 2024 The dawn of the SUB2000 GEN3 in 9mm and 5.7x28mm. With a single twist and fold motion to either direction, the redesigned forend rotates top-mounted attachments to the side for folding. Plus, enjoy many "quality of life" improvements, such as an improved aluminum trigger and ambidextrous bolt hold-open, further perfecting this generational carbine.



2025: Multi Mag System KelTec introduces the revolutionary Multi Mag system to the GEN3 family, expanding SUB2000 compatibility beyond Glock magazines to include Beretta 92, CZ 75, Smith & Wesson M&P and Model 59, Sig Sauer P226 and P320, and Canik TP platforms. One carbine, seven magazine ecosystems - the most versatile pistol-caliber carbine ever produced.

INTRODUCING**SUB2000
MULTI MAG GEN3**

CALIBER: 9x19 mm
WEIGHT (UNLOADED / NO MAGAZINE): 4.2 lbs / 1.9 kg
MAGAZINE CAPACITY: Varies by magazine and caliber
OVERALL LENGTH (STOCK EXTENDED): 30.45 in / 773.43 mm
OVERALL LENGTH (STOCK COLLAPSED): 29.2 in / 741.68 mm
LENGTH FOLDED: 16.15 in / 410.21 mm
BARREL LENGTH: 16.15 in / 410.21 mm
TWIST RATE: 1:10 in / 1:254 mm
TRIGGER PULL: 5 lbs / 22 N

**SUB2000
GEN3 FN**

CALIBER: 5.7x28 mm
WEIGHT (UNLOADED / NO MAGAZINE): 4.6 lbs / 1.9 kg
MAGAZINE CAPACITY: 20rd FN Pro Mag
OVERALL LENGTH (STOCK EXTENDED): 30.45 in / 774 mm
OVERALL LENGTH (STOCK COLLAPSED): 29.2 in / 742 mm
LENGTH FOLDED: 16.15 in / 410 mm
BARREL LENGTH: 16.15 in / 410.21 mm
TWIST RATE: 1:7 in
TRIGGER PULL: 5 lbs / 22 N

**SUB2000
GEN3 GLK 9MM**

CALIBER: 9x19 mm
WEIGHT (UNLOADED / NO MAGAZINE): 4.2 lbs / 1.9 kg
MAGAZINE CAPACITY: Varies by magazine and caliber
OVERALL LENGTH (STOCK EXTENDED): 30.45 in / 773.43 mm
OVERALL LENGTH (STOCK COLLAPSED): 29.2 in / 741.68 mm
LENGTH FOLDED: 16.15 in / 410.21 mm
BARREL LENGTH: 16.15 in / 410.21 mm
TWIST RATE: 1:10 in / 1:254 mm
TRIGGER PULL: 5 lbs / 22 N

**SUB2000
GEN3 GLK 10MM**

CALIBER: 10 mm Auto
WEIGHT (UNLOADED / NO MAGAZINE): 5.6 lbs / 2.54 kg
MAGAZINE CAPACITY: Varies by magazine and caliber
OVERALL LENGTH: 29.2 in / 742 mm
LENGTH FOLDED: 16.15 in / 410.21 mm
BARREL LENGTH: 16.15 in / 410.21 mm
TWIST RATE: 1:10 in / 1:254 mm
TRIGGER PULL: 5 lbs / 22 N

CMR30™

CALIBER: .22 WMR
WEIGHT UNLOADED: 3.8 lbs / 1.7 kg
MAGAZINE CAPACITY: 30
OVERALL LENGTH: 29.9 in / 759 mm
LENGTH COLAPSED: 22.5 in / 571 mm
BARREL LENGTH: 16 in / 408 mm
TWIST RATE: 1:4 in / 1:356 mm
TRIGGER PULL: 5 lbs / 22 N

**SUB
CQB**

CALIBER: 9x19 mm
WEIGHT UNLOADED: 5.15 lbs / 2.34 kg
MAGAZINE CAPACITY: Varies by magazine
OVERALL LENGTH: 30.5 in / 775 mm
LENGTH COLLAPSED: 29.25 in / 742 mm
LENGTH FOLDED: 16.25 in / 413 mm
BARREL LENGTH: OAL 16.2", Rifled 4.25" / OAL 410 mm, Rifled 108 mm
TWIST: 1:10 in / 1:254 mm
TRIGGER PULL: 9.5 lbs / 42.2 N



SU16A™

CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 5 lbs / 2.3 kg
MAGAZINE CAPACITY: 10 or more (AR-15 compatible)
OVERALL LENGTH: 37.4 in / 950 mm
LENGTH FOLDED: 26.4 in / 671 mm
BARREL LENGTH: 18.5 in / 470 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 6 lbs / 27 N

SU16B™

CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 4.5 lbs / 2 kg
MAGAZINE CAPACITY: 10 or more (AR-15 compatible)
OVERALL LENGTH: 35.9 in / 912 mm
LENGTH FOLDED: 24.9 in / 632 mm
BARREL LENGTH: 16 in / 408 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 6 lbs / 27 N

SU16C™

CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 4.7 lbs / 2.1 kg
MAGAZINE CAPACITY: 10 or more (AR-15 compatible)
OVERALL LENGTH: 35.5 in / 902 mm
LENGTH FOLDED: 25.5 in / 648 mm
BARREL LENGTH: 16 in / 408 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 6 lbs / 27 N

SU16CA™

CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 4.7 lbs / 2.1 kg
MAGAZINE CAPACITY: 10 or more (AR-15 compatible)
OVERALL LENGTH: 35.9 in / 912 mm
LENGTH FOLDED: 24.9 in / 632 mm
BARREL LENGTH: 16 in / 408 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 6 lbs / 27 N

SU16D9™

CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 4.5 lbs / 2 kg
MAGAZINE CAPACITY: 10 or more (AR-15 compatible)
OVERALL LENGTH: 35.9 in / 912 mm
LENGTH FOLDED: 24.9 in / 632 mm
BARREL LENGTH: 9 in / 228 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 6 lbs / 27 N

SU16D12™

CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 4.5 lbs / 2 kg
MAGAZINE CAPACITY: 10 or more (AR-15 compatible)
OVERALL LENGTH: 35.9 in / 912 mm
LENGTH FOLDED: 24.9 in / 632 mm
BARREL LENGTH: 12 in / 406.4 mm
TWIST RATE: 1:9 in / 1:228.6 mm
TRIGGER PULL: 5-7 lbs / 22.2-31.1 N

SU16E™

CALIBER: .223 Rem / 5.56x45 mm
WEIGHT UNLOADED: 4.7 lbs / 2.1 kg
MAGAZINE CAPACITY: 10 or more (AR-15 compatible)
OVERALL LENGTH: 35.5 in / 902 mm
LENGTH FOLDED: 32 in / 813 mm
BARREL LENGTH: 16 in / 408 mm
TWIST RATE: 1:7 in / 1:178 mm
TRIGGER PULL: 6 lbs / 27 N

COMPACT POWER. REFINED ACTION.

The KS7 GEN2 is a 12-gauge bullpup pump-action shotgun that delivers full-size firepower in just over 26 inches. At 6.8 lbs unloaded, it carries 7+1 rounds of 2¾" shells (or 6+1 of 3" shells) and balances naturally over the grip for control in tight spaces. The GEN2 upgrade brings a smoother, faster pump action and a five-slot Picatinny-style rail molded into the forend for vertical grips or accessories - or cap it for a clean profile. Top rail ready for optics. Compact, lightweight, powerful.



INTRODUCING

**KSG[™]
GEN 2**



CALIBER: 12 GA 3"
WEIGHT UNLOADED: 6.1 lbs / 2.8 kg
MAGAZINE CAPACITY: 6+1 (3" shells)
OVERALL LENGTH: 26.1 in / 663 mm
BARREL LENGTH (SMOOTH BORE): 18.5 in / 470 mm
TRIGGER PULL: 5 lbs / 22 N

KSG410[™]



CALIBER: .410 Bore
WEIGHT UNLOADED: 5.4 lbs / 2.45 kg
MAGAZINE CAPACITY: 5+5 +1 (3" shells)
OVERALL LENGTH: 26.1 in / 663 mm
BARREL LENGTH (SMOOTH BORE): 18.5 in / 470 mm
TRIGGER PULL: 5 lbs / 22 N

KSG[™]



CALIBER: 12 GA 3"
WEIGHT UNLOADED: 6.9 lbs / 3.1 kg
MAGAZINE CAPACITY: 7+7 (2 3/4" shells)
OVERALL LENGTH: 26.1 in / 663 mm
BARREL LENGTH (SMOOTH BORE): 18.5 in / 470 mm
TRIGGER PULL: 5 lbs / 22 N

KSG25[™]



CALIBER: 12 GA 3"
WEIGHT UNLOADED: 9.25 lbs / 4.2 kg
MAGAZINE CAPACITY: 12+12 (2 3/4" shells)
OVERALL LENGTH: 38 in / 965.2 mm
BARREL LENGTH (SMOOTH BORE): 30.5 in / 774.7 mm
TRIGGER PULL: 5 lbs / 22 N



**KSG
COMPACT[™]**



CALIBER: 12 GA 3"
WEIGHT UNLOADED: 6.8 lbs / 3 kg
MAGAZINE CAPACITY: 4+4 (3" shells)
OVERALL LENGTH: 26.1 in / 663 mm
BARREL LENGTH (SMOOTH BORE): 18.5 in / 470 mm
TRIGGER PULL: 5 lbs / 22 N

**KSG
TACTICAL[™]**



CALIBER: 12 GA 3"
WEIGHT UNLOADED: 6.2 lbs / 2.8 kg
MAGAZINE CAPACITY: 5+5 (2 3/4" shells)
OVERALL LENGTH: 21.5 in / 546 mm
BARREL LENGTH (SMOOTH BORE): 13.7 in / 343 mm
TRIGGER PULL: 5 lbs / 22 N

AIRSOFT

PMR30™

Introducing KelTec airsoft guns provided by Evike.com. featuring true-to-life replicas of the KSG, RDB, PMR30, and PLR16. Designed with precision and authenticity, these airsoft models mirror the innovative features and aesthetics of their real-steel counterparts, offering lightweight construction, modularity, and exceptional realism for training, recreation, or display.



RDB™

EQUIPPED AND READY THE NEW DEFENDERS

SUB2000 DEFENDER



- Viridian RFX11 Optic
- Extended Rubber Butt-pad
- Magpul Flip-up sights
- Brass Bolt

P50™ DEFENDER



- Strike Industries Stabilizer Brace
- A2 Compensator

KSG™

PLR16™



KSG DEFENDER™

- Magpul Vertical Grip
- Magpul Flip-up sights
- Kydex Cheek Rest
- Aluminum Followers
- Carlson Comp
- Single Point Sling Mount
- Extended Butt-pad



PLR16 DEFENDER™



- Compact Forend
- Viridian RFX11
- Strike Industries Stabilizer Brace
- Magpul Angled Grip



NOTICE: Every effort is made to ensure the accuracy of the information being presented within this product guide. However, KELTEC reserves the right to rectify any and all errors prior to any sale or transactions. All product specifications are subject to possible change without prior notice. Go to www.keltecweapons.com for current information, or call KELTEC directly at 1-800-515-9983

KELTECWEAPONS.COM



1505 COX ROAD
COCOA, FL 32926
PH: 800.515.9983
FAX: 321.890.1850